

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 24/03/2023

No:- Format1.0/CAC/UAN No.0000110179/CR/2303001852

To,
P. D. E. A's Ayurved Rugnalaya & Streling Multispeciality
Hospital,
Sector No.27, Near Bhel Chowk, Sindhunagar, Pradhikaran,
Nigadi, Tal. Haveli, Dist. Pune.
Email: carchospital@gmail.com
Contact No.: 7588062939



Your Service is Our
Duty

Grant of Renewal of combine Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016

- Ref:**
1. Previous Combine Consent to operate and Bio-Medical Waste Authorization granted by the Board vide dated 16.05.2019 which was valid up to 31.03.2020.
 2. Your application for Combine Consent and Bio-Medical Authorization vide UAN No. 110179, dated 06.03.2021.
 3. The minutes of Consent Appraisal Committee meeting dated 18.01.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-03-2020 To 31-03-2024**
2. The capital investment of the HCF is **₹468.7 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 5618.00 M² with Built-up area 4960.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **220 Nos.** (As per BNH certificate no. 615 valid upto 31-03-2023)
 - I. General Beds : **220 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 60.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	50	Kg/M	CHWTSDf

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-


1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Passco Environmental Solutions, PCMC** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall properly operate ETP & STP to achieve consented norms.
18. HCE shall submit BGs as per HCE BG regime.

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.



Generated by Print2Go
d37a7a40
11873472
225fb31d
343bc6df
622f54ca
4aa4a1ff
d138d2b6
a8dc622d

Signed by: **Dr. Y.B. Sontakke**
Joint Director(WPC) & InCharge Of CAC-Cell
For and on behalf of,
Maharashtra Pollution Control Board
cac-cell@mpcb.gov.in
2023-03-24 18:46:56 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2103003424	19/05/2022	Online Payment
2	119658.00	TXN2303003637	23/03/2023	Online Payment
3	30000.00	TXN2103003427	19/05/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pimpri Chinchwad
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.
4. CAC Desk - for record & updation purposes.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	55.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	50	As per clause 'C'	Recycle to maximum extent & remaining on land for gardening
2	Trade effluent	3.0	As per clause 'C'	As above

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D.** You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E.** You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F.** The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G.** You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set 100KVA	HSD	21.00 Kg/Hr	5.50

2. The Applicant shall obtain prior permission of MPCB board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	155.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solutions, PCMC.
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	400.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	40.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	55.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	200.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	200.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solutions, PCMC.
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solutions, PCMC.
4	Blue	a) Glassware	20.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Passco Environmental Solutions, PCMC.
		b) Metallic body implants	0.50		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Passco Environmental Solutions, PCMC** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -IV before 31st June every year	Continuous	25,000.00
2	To maintain records of BMW material delivered to CBMWTSDf	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
Total			2,00,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M,& TM)n Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

1.General Information

UAN No:
MPCB-CONSENT-0000202988

Application submitted on:
16-03-2024

Industry Information

Industry Type:	Category:	Scale:
R30 Health-care Establishment (as defined in BMW Rules)	Red	S.S.I

Consent To:	Submit to:
Operate (Plain Renewal)	SRO - Pimpri Chinchwad

Consent to Establish Details

Consent to Establish No.	Consent to Establish date	Consent to Establish Valid Upto
	01-01-1970	01-01-1970
Previous Consent No.	Previous Consent date	Previous Consent Valid Upto
Format1.0/CAC/UAN No.0000110179/CR/2303001852	24-03-2023	31-03-2024

Perticulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name	Father / Husband Name	Last Name	Designation
Mr. DHANANJAY	KALYANRAO	PAWAR	DIRECTOR
Mobile No	Telephone/Fax	Email	Aadhar No
7588062939		carchospital@gmail.com	344213345245
PAN No	Address	Pin Code	
AVCPP5623K	Survey no. 14/1, Krantinagar, Behind vitthal Temple, Akurdi, Pune city, Pune, Akurdi	411033	



2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

P. D. E. A's Ayurved Rugnalaya & Streling Multispeciality Hospital

b) Address for Correspondance

Pin Code

411033

District

Pune

City/Town

Haveli

Survey/Gut No.

Sector No.27,

Name of premises /Building

Near Bhel Chowk, Sindhunagar,

Road/Street

Pradhikaran, Nigadi,

Area/Locality

Chinchwadgaon

Email

carchospital@gmail.com

Website URL

www.sterlinghospital.com

c) Details of Contact Person

Name of the contact person

Dhananjay Pawar

Contact No.

7588062939

Email

carchospital@gmail.com

Designation

Director

d) Onwership of Facility

Private (Proprietary Establishment)

e) Month and year of commissioning of the HCF

15/03/2023

f) Area of the Facility / Hospital

i) Total plot area (in square meter)

5618

ii) Built up area (in square meter)

4960

iii) Open Plot Area (Sq.Mtr)

658.00

g) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees)

18.6571

Longitude (In degrees)

73.7659

h) Gross capital investment of the HCF/CBUTF without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by certificate from Chartered Accountant / Balance sheet)

CA Certificate

Sr. No.	Fixed Assets	Amount (in lakh)
1	Land	57.0200
2	Building / Premises	113.4000
3	Plant & Machinery / Equipment	188.9500
4	Furniture / Fixture	29.6300
5	Any other movable / immovable fixed assets (Please specify)	
5.a	Other assets computers office equipments vehicles and softwares	79.7000
5.b	NA	NA
5.c	NA	NA
5.d	NA	NA
5.e	NA	NA
6	Capital Work in Progress (if any)	NA

Gross Capital (in Lakh)

468.70 (Lakh)

Certificate Date

16-03-2024

i) Compliance of Location Criteria



Location of facility	Whether it is notified industrial area	Land Use Type	Land Ownership
Rural	No	Residential	Self Owned
j) Does HCF have Laundry facility in premises		No	
k) Does HCF have Canteen/Cafeteria facility in premises		No	
l) Does HCF have Hostel/Residential quarters in premises		No	
m) Number of Patient Treated per Day			

OPD (Average Patient / Day)	IPD / Admitted (Average Patient / Day)
125	70

n) Name of the local body under whose jurisdiction the HCF is located.

ULB Type

Municipal Corporation

ULB Name

Pimpri-Chinchwad Municipal Corporation

o) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority

Planning Authority

PCMC

Planning permission

Occupancy Certificate

3.BMW Authorization Details

a) Discipline of Medicine

Medicine

b) Bombay Nursing Home Registration Details

Total number of Beds	BNH Registration Number	Valid Upto	First Issued Date
220	P1NH000060	31-03-2026	01-02-2021

Certificate issuing Authority


Medical Officer or Health Officer of Municipal Corporation

Total Bed Break up

General Beds	ICCU/ICU Beds	Maternity Beds	Operation Theatre	Oncology Beds	Other Beds
100	50	50	2		18

c) Diagnostic and Pharma Facilities available in Premises

Pathology Lab	Yes	Average Samples/day	50
Blood Bank	No		
X-Ray	Yes	X-Ray Number Per Day	10
CT Scan	Yes	CT Scan Number Per Day	1
MRI	No	MRI Number Per Day	
USG	Yes	USG Number Per Day	8
ECG/EEG	Yes	ECG Number Per Day	12
Medical Store / Pharmacy	Yes	Nos	1
Other	No		



d) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose

No

Category wise Bio-Medical Waste Collected ,Treated,Disposed			
Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)
1	Yellow	a) Human Anatomical waste	155.00
		b) Animal Anatomical Waste	0
		c) Soiled Waste	400.00
		d) Expired or Discarded Medicines	50.00
		e) Chemical Waste	40.00
		f) Chemical Liquid Waste	0
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	55.00
		h) Microbiology Biotechnology and other clinical laboratory waste	200.00
2	Red	Contaminated waste (Recyclable)	200.00
3	White (Translucent)	Waste sharps including Metals	30.00
4	Blue	a. Glassware	20.00
		b. Metallic body implants	0.50

Details of Storage at Facility						
Sr No	Type	Category	Temporary Storage Area			Avg. No.of Bag/Container (Per Day)
			Length (Ft)	Width (Ft)	Height (Ft)	
1	Untreated BMW	Yellow	10.00	10.00	10.00	2.00
		Red	10.00	10.00	10.00	2.00
		Blue	10.00	10.00	10.00	2.00
		White	10.00	10.00	10.00	2.00

Do you Have Equipment Installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers containing Bio-Medical waste

No

Common Facility Membership Details (CTF)

CTF Name

M/s. Passco Environmental Solution, PCMC

Membership Number

66

Issued Date

31-03-2026

Do you have Captive Treatment

No

4.Consent Details

a) Sources of Water

i) Surface Water

Yes


Name of the water supply Water Consumption Quantity (CMD)



iii) Tanker Water No

60

0



2) E-Waste (Kg/Annum) 0

3) Plastic Waste (Kg/Annum) 0

4) Hazardous Waste (Kg/Annum) 0

Effluent Analysis result (As per latest report)				
Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		16-03-2024	16-03-2024	16-03-2024
pH	6.5 - 9.0	0	0	0
Oil and Grease (mg/l)	10	0	0	0
BOD (mg/l)	30	0	0	0
COD (mg/l)	250	0	0	0
TSS (mg/l)	100	0	0	0
Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	0	0	0

Air Pollution

Whether D.G. Set Installed

Yes

Capacity(KVA)	Make	Fuel Used	Fuel QTY	Unit	Stack Height in meter	Acoustic Enclosure for noise control
100	Kirloskar	Diesel	21.00	Ltr/H	5.50	NO

Do you have Boiler Installed

No

Boiler Details						
Make	Model	Combustion efficiency	Fuel Type	Qty	Shape (round/rectangular)	

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Port hole

No

Platform

No

Ladder


No

Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		NA	NA	NA
Particulate matter	50 mg/Nm3	0	0	0
Nitrogen oxides	400 mg/Nm3	0	0	0
HCL	50 mg/Nm3	0	0	0
Total Dioxins and Furans	0.1 ng TEQ/Nm3 (at 11% O2)	0	0	0
Hg and its compounds	0.05 mg/Nm3	0	0	0

Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)

No

Quantity of ash generated from Boiler (Tonnes/ month):



Mode of Disposal of Boiler ash**Provision Of Alternate Electric Supply**

No

Separate Electricity Meter Provided to Pollution control Devices

No

Hazardous Waste**CHWSDF Details****CHWTDF Facility Name**

MEPL

CHWTDF Membership Number

0

Hazardous Waste Details		
Description	Waste Category	Quantity in MT/Month
Incineration Ash	37.3	0
STP/ETP	35.3	0.050
Used Oil		0

Non-Hazardous Waste aspect					
Description	Quantity	UOM	Treatment	Treatment	Remarks
NA	0	0	0	0	0

Legal Section				
Legal Action Type	Legal Action Ref No	Legal Action Date	Legal Action Details	Remarks
NA	NA	01-01-1970	NA	NA

5. Additional Information**Do you have Bio Medical Waste Management Committee Constituted**

No

Average Cost (O & M) for ETP/STP

50000

Average Cost of APCD Rs/Year

50000.00

Brief details of tree plantation/green belt development within applicant's premises**Open Space Availability**

658

Plantation Done On

290

Number of Trees Planted

58

Whether Environmental Statement submitted

Yes

Environmental Statement submitted Date

30-09-2023

Any other additional information that the applicants desires to give**Do you have Infection Control Committee Constituted**

No


6. Financial Details**Is there any Bank Gurantee impose on you during previous Consent/Authorization period.**

No



Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA

Additional Bank Gurantee Details, if Any					
Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA




Principal
 P.D.E.A.S
 College of Ayurved And Research Centre
 Nigdi, Pune - 411 044



QMS-ISO-9001:2015
EMS-ISO-14001:2015
Reg. No. RI91/8395

PASSCO Environmental Solutions Pvt. Ltd.

Unit 1 : PCMC

Site Add.: S. No. 172,173,174, Y.C.M. Hospital, Ground Floor,
Sant Tukaram Nagar, Pimpri - 411018, Tel. : 020 2742 0395,
Email Id: pespl.pcmc@passco.in

R.O.: Narayani, 34/4, Behind Eisen Pharmaceuticals,
Erandwane Pune - 411004

Phone No: +91 -20 -66024765, 25467096 Email
Id: helpdesk@passco.in



Unique Registration No.: P1/NH000060



Registration Certificate




Outward No.: P1/2023/000983

Date: 12-Jun-2023


This is to certify that, **P.D.E.A.'S AYURVED RUGNALAYA & STERLING MULTISP. HOSPITAL(000066)** at **SECTOR 27, SINDHUNAGAR, NEAR BHEL CHOWK, PRADHIKARAN, NIGDI, PUNE - 411044** is registered with PASSCO Environmental Solutions Pvt. Ltd., Pune for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. MRS. RAGINI RAJAN PATIL SUPERINTENDENT
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	66
b. BNH Issue Date	17-Apr-2023
c. Total Number of Beds	220
d. BNH Validity(Form 'C')	31-Mar-2026
3. Common Treatment Facility Registration Details	
a. Date of Registration	20-Oct-2006
b. No. of Beds Registered	220
c. Registration Validity	31-Mar-2026
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	31-Mar-2026
b. No. of Beds Registered	220
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	FORMAT1.0/CAC/UAN NO.0000110179/CR/2303001852
b. Issue Date	24-Mar-2023
c. Validity up to	31-Mar-2024



Mr. Mayur Ghule
Authorised Signatory

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.



Principal
P.D.E.A.'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.



Pune District Education Association's
College of Ayurved & Research Centre's
Ayurved Rugnalaya
and Sterling Multispeciality Hospital



Sector No. 27, Pradhikaran, Nigadi, Pune - 411044 (Maharashtra) India I.D.No. PU/PN/AYU/081/1990
Ph. : (020) 27659460, 27658734 Fax : (020) 27659578 E-mail : carchohospital@gmail.com Website : www.pdeacarayu.com
Recognized by : Ministry of AYUSH, Govt. of India & CCIM, New Delhi Affiliated by : Maharashtra University of Health Sciences (M.S.)

Managing Trustee

Ref. No.

Date : 01/04/20

President
Ajit Pawar

Vice President
Rajendra Ghadge

Hon. Secretary
Adv. Sandeep Kadam

Treasurer
Adv. Mohanrao Deshmukh

Dy. Secretary
L. M. Pawar

Supratendant
Dr. Ragini Patil

AGREEMENT FOR CONTRACT SERVICES

This Agreement for Contract Services ("Agreement") is made at Pune on this 1st April, 2020

BETWEEN

PDEA'S AYURVED RUGNALAYA & STERLING MULTISPECIALITY HOSPITAL registered under the Bombay Nursing Act, 1949 in PIMPRI CHINCHWAD MUNICIPAL CORPORATION, PIMPRI - 411018 and having its Registered Office at sec no. 27, near Bhel chowk, Nigdi Pradhikaran, Pune - 411044, Maharashtra (hereinafter referred to as "ARSMH", which expression shall unless repugnant to the subject or context thereof shall mean and include its successors and permitted assigns) of the One Part.

AND

ASP ENVIRO, a proprietary concern existing under the laws of India and registered under the Udyog Aadhar scheme of the Government of India, bearing registration number MH26D0167253 and having its Office at S. No. 14/6A/6B/1, A-Wing, Akshay Chandan, Flat No. 502, Thergaon, Tal- Mulshi, Dist- Pune PIN- 411033, Maharashtra (hereinafter for the sake of brevity & convenience referred to and called as "Service Provider" which expression shall, unless repugnant to or inconsistent with the context thereof, mean and include its successor/s, liquidator/s etc.) assigns of the Two Part.

WHEREAS ARSMH is inter-alia engaged in the business of HEALTH CARE SERVICES LIKE AYURVEDIC & ALLOPATHY CONSULTATIONS, TREATMENT MANAGEMENT HOSPITAL SERVICES TO THE PATIENTS

AND WHEREAS the Service Provider is engaged in the profession of providing independent Contractual Multipurpose, skilled, unskilled, contractual manpowers to various sectors like Canteen, Garden Security, Housekeeping, Maintenance of Electricity supply, Civil work & the Sewage / Trade effluent treatment plants.

AND WHEREAS, the ARSMH intends to avail Multi Purpose Contractual Services, Manpowers To Canteen & Maintenance Of Electricity, Building



Handwritten signature




Handwritten signature

Principal
P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.





Pune District Education Association's
College of Ayurved & Research Centre's
Ayurved Rugnalaya
and Sterling Multispeciality Hospital



Sector No. 27, Pradhikaran, Nigadi, Pune - 411044 (Maharashtra) India I.D.No. PU/PN/AYU/081/1990
Ph. : (020) 27659460, 27658734 Fax. : (020) 27659578 E-mail : carchospital@gmail.com Website : www.pdeacarcayu.com
Recognized by : Ministry of AYUSH, Govt. of India & CCIM, New Delhi Affiliated by : Maharashtra University of Health Sciences (M.S.)

Managing Trustee

Ref. No.

Date : 01/04/20

President
Ajit Pawar

Vice President
Rajendra Ghadge

Hon. Secretary
Adv. Sandeep Kadam

Treasurer
Adv. Mohanrao Deshmukh

Dy. Secretary
L. M. Pawar

Supertendant
Dr. Ragini Patil

Infrastructure, Garden & Etp With Stp Plant In Hospital Premises (hereinafter referred to as "Premises").

AND WHEREAS the Service Provider has represented to the ARSMH that it has the requisite skills, expertise, trained personnel and infrastructure to provide the necessary Services.

AND WHEREAS relying on the assurances and representations made by the Service Provider, the ARSMH is desirous of availing the Services from the Service Provider at the Premises on following terms and conditions:

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS AND IT IS HEREBY AGREED BY AND BETWEEN THE PARTIES AS FOLLOWS:

1. SCOPE OF SERVICE: The Service Provider shall provide the CONTRACTUAL Services as detailed in Annexure 1 of this Agreement.
2. TERM: This Agreement shall be in force for a period from 1 st April 2020 to 31 th March 2025.
3. CONSIDERATION: For providing the Services as mentioned hereinabove, the ARSMH shall pay to the Service Provider as per Annexure 2 of this Agreement.
4. COVENANTS OF SERVICE PROVIDER: The Service Provider hereby agrees, undertakes and promises that:


A. Service Provider shall strictly follow the rules and regulations intimated by ARSMH from time to time during the tenure of the Agreement.

B. Before commencement of this Agreement, Service Provider shall at its own cost obtain adequate insurance coverage for its all employee(s) under the Employees Compensation Insurance Policy (Workmen compensation (WC) policy), Employees State Insurance Scheme (ESIC), Employee Provident Funds (EPT), personal accident, health/medical etc. The Service Provider further agrees to maintain all such insurance policies during the period of this Agreement. Service Provider further agrees to provide copies of such insurance policies to the ARSMH as and when required.

C. The Service Provider shall not engage/employ child labour (Age below 18 years) nor shall any of its employees bring children along with them during the performance of the Services.



Handwritten signature



Handwritten signature

Principal
P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.





Pune District Education Association's
College of Ayurved & Research Centre's
Ayurved Rugnalaya
and Sterling Multispeciality Hospital



Sector No. 27, Pradhikaran, Nigadi, Pune - 411044 (Maharashtra) India I.D.No. PU/PN/AYU/081/1990
Ph. : (020) 27659460, 27658734 Fax. : (020) 27659578 E-mail : carhospital@gmail.com Website : www.pdeacarcayy.com

Recognized by : Ministry of AYUSH, Govt. of India & CCIM, New Delhi Affiliated by : Maharashtra University of Health Sciences (M.S.)

Managing Trustee

Ref. No.

Date : 01/04/20

President
Ajit Pawar

D. During the term of this Agreement and after expiry or termination of this Agreement the employment of all staff and employees engaged by the Service Provider, their wages, dues and all claims shall be the responsibility of the Service Provider.

Vice President
Rajendra Ghadge

E. Service Provider confirms that person executing this Agreement shall have the authority and this Agreement shall not be affected by any resignation/ termination/ separation of person executing the document or change in the constitution of Service Provider.

Hon. Secretary
Adv. Sandeep Kadam

5. DEDUCTIONS: In addition to all legal rights and remedies available to the ARSMH, the ARSMH shall be entitled to deduct or withhold appropriate amounts from the monthly bills towards the costs/expenses incurred or any damage suffered by ARSMH

6. TERMINATION: This Agreement may be terminated by the ARSMH by giving Thirty (30) days prior notice in writing to Service Provider. The Service Provider can terminate this Agreement by giving Ninety (90) days advance notice to the Company.

Treasurer
Adv. Mohanrao Deshmukh

7. CONFIDENTIALITY: Service Provider undertakes to strictly maintain the confidentiality of the information disclosed to it and/or made available to it and/or received by it from ARSMH during the term of the Agreement. The confidentiality obligations shall survive for the period of 5 years after the expiry or early termination of the Agreement. Upon termination of the Agreement, the Consultant shall immediately return all confidential information to ARSMH or destroy the same.

Dy. Secretary
L. M. Pawar

8. MODIFICATIONS: The terms and conditions of this Agreement may be modified in writing signed by both the Parties and annexed to this Agreement.


Supremeasant
Dr. Ragini Patil

9. SCHEDULES, ANNEXURES, AND SUPPLEMENTS ETC.: All Schedules, Annexure, Supplements or any papers, documents attached and/or annexed to this Agreement shall form an integral part of this Agreement.

10. COUNTERPART: ARSMH shall retain the original copy of this Agreement & Service Provider shall be given the duplicate thereof.



Handwritten signature



Handwritten signature

Principal
P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.





Pune District Education Association's
College of Ayurved & Research Centre's
Ayurved Rugnalaya
and Sterling Multispeciality Hospital



Sector No. 27, Pradhikaran, Nigadi, Pune - 411044 (Maharashtra) India LD.No. PU/PN/AYU/081/1990
Ph. : (020) 27659460, 27658734 Fax : (020) 27659578 E-mail : carchohospital@gmail.com Website : www.pdeacarcayu.com

Recognized by : Ministry of AYUSH, Govt. of India & CCIM, New Delhi Affiliated by : Maharashtra University of Health Sciences (M.S.)

Managing Trustee

Ref. No.

Date : 01/04/20

President
Ajit Pawar

ANNEXURE NO.1

The Service Provider hereby agrees to following services from time to time to the Company-

Vice President
Rajendra Ghadge

SCOPE OF WORK:

Service Provider agrees to provide below services:

Hon. Secretary
Adv. Sandeep Kadam


1) To Maintain and operate the Effluent Treatment Plant (ETP) (Primary, Secondary, & Tertiary treatment) & Sewage Treatment Plant (STP) (Secondary, & Tertiary Treatment), Ozonator, UF,RO ,Coolant Treatment Plant (CTP), ZLD, Decanting and Filter press as per SOP to achieve Maharashtra Pollution Control Board (MPCB) norms.

2) CONTRACYUAL MANPOWERS FOR Canteen,Garden Security,Housekeeping , Maintenance of Electricity supply,Civil work & the Sewage / Trade effluent

Treasurer
Adv. Mohanrao Deshmukh



For



For

Dy. Secretary
L. M. Pawar

Supretendant
Dr. Ragini Patil


Principal
P.D.E.A'S

College of Ayurved And Research Centre
Nigdi, Pune - 411 044.





Pune District Education Association's
College of Ayurved & Research Centre's
Ayurved Rughnala
and Sterling Multispeciality Hospital



Sector No. 27, Pradhikaran, Nigadi, Pune - 411044 (Maharashtra) India I.D.No. PU/PN/AYU/081/1990
Ph. : (020) 27659460, 27658734 Fax. : (020) 27659578 E-mail : carchohospital@gmail.com Website : www.pdeacarcayu.com

Recognized by : Ministry of AYUSH, Govt. of India & CCIM, New Delhi Affiliated by : Maharashtra University of Health Sciences (M.S.)

• Managing Trustee •

Ref. No.

Date : 01/06/20

President
Ajit Pawar

ANNEXURE NO. 2

- 1) Maintenance and operative charges for the Effluent Treatment Plant (ETP) & Sewage Treatment Plant (STP) including operator for 24x7 duty 25500 / month
- 2) Required man power
 - (I) Electrician 7000/- month for 8 hrs / day
 - (II) Plumber 5000/- month for 8 hrs / day
- 3) Other Required manpower and their charges will be decided at time of their requirement.
- 4) Applicable GST will be extra (not included in above Charges)

Vice President
Rajendra Ghadge

Hon. Secretary
Adv. Sandeep Kadam


Treasurer
Adv. Mohanrao Deshmukh

Dy. Secretary
L. M. Pawar

Supintendent
Dr. Ragini Patil



Handwritten signature



Handwritten signature

Principal
P.D.E.A.S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.





Pune District Education Association's
College of Ayurved & Research Centre's
Ayurved Rugnalaya
and Sterling Multispeciality Hospital



Sector No. 27, Pradhikaran, Nigadi, Pune - 411044 (Maharashtra) India I.D.No. PU/PN/AYU/081/1990
Ph : (020) 27659460, 27658734 Fax : (020) 27659578 E-mail : carhospital@gmail.com Website : www.pdeacarcayu.com

Recognized by : Ministry of AYUSH, Govt. of India & CCIM, New Delhi Affiliated by : Maharashtra University of Health Sciences (M.S.)

Managing Trustee

Ref. No.

Date : 01/04/20

President
Ajit Pawar

IN WITNESS WHEREOF THE PARTIES HEREUNTO HAVE PUT THEIR
RESPECTIVE HANDS THE DAY AND YEAR
FIRST HEREINABOVE MENTIONED.

Vice President
Rajendra Ghadge

For - PDEAS AYURVED RUGNALAYA & STERLING MULTISPECIALITY HOSPITAL

Name: DR RAGINI RAJAN PATIL


Designation : SUPERINTENDENT

Hon. Secretary
Adv. Sandeep Kadam

Witness: Dr. RAJKUMAR BHIKU BOBADE

Designation - NABH COORDINATOR

Date: Place: 01/04/20 Nigdi Pune



Treasurer
Adv. Mohanrao Deshmukh

For - ASP Enviro SOLUTIONS

Name: Mr. ANKUSH BHANUDAS KAMBLE


Designation: PROPRIETOR

Dy. Secretary
L. M. Pawar

Witness: Mr. PRASHANT KASBEKAR


Designation - Manager

Date: Place: 01/04/20 Nigdi Pune



Supreteadent
Dr. Ragini Patil

Principal
P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.





THE RAJ GROUP

Raj Enterprises

Distributors For : FUJI DIGITAL X-RAY FILMS/CR
FUJI INDUSTRIAL X-RAY FILMS

Regd. Office : JEEVAN NAGAR, DHOKA COLONY, CHINCHWAD PUNE 411033.

Mobile : 9371006820, 9922993311

GST NO : 27AARPD2716P1Z9

Email : rajudyog11@gmail.com

आयुर्वेद आचार्य व रसोक्त मल्लिकार्जुन
हॉस्पिटल, निगडी, पुणे - ४४.
आवक क्र. 90A/2023-24
दिनांक - 3/4/23
लेखक श्री. पोटेरा

To, The Superintendent

Ayurvedic medical College
Pradhikaran

Dear Sir,

This is to inform you that we
are supplying xray chemicals to your Instt
we are also take back your used
chemicals in future.

This is for your information.

FOR RAJ ENTERPRISES

Proprietor

Principal

P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.





पुणे जिल्हा शिक्षण मंडळ, पुणे

रजिस्टर्ड अंडर सोसायटीज् रजिस्ट्रेशन ॲक्ट १८६० व पब्लिक ट्रस्ट ॲक्ट १९५०

नोंदणी क्र. एफ-९९

४८/१ अ, एरंडवणा, पौड रोड, पुणे-४११ ०३८. (महाराष्ट्र) फोन : (०२०)२५४३४५७०, २५४५८३२७, २५४३७३४९

फॅक्स : (०२०)२५४३८७०५ ईमेल : honsecretary@pdeapune.org वेबसाईट : www.pdeapune.org

जावक क्र. : पुजिशिमं/बांधकाम विभाग/इतर/२०१४-१५/२७७-८४

दिनांक : 10 FEB 2015

Work Order

प्रति,
एक्सलंट एन्व्हायरो,
वल्लभ नगर, पिंपरी, पुणे.

विषय:-संस्थेच्या आयुर्वेद महाविद्यालय व संशोधन केंद्र, निगडी प्राधिकरण या महाविद्यालयाच्या रूग्णालयाच्या संकुलामध्ये ETP/STP Plant (Sewage treatment plant) ची कामे करणेबाबत. ...

संदर्भ:- आपले दि. २४/११/२०१४ रोजीचे दरपत्रक

वरील विषयास व संदर्भित दरपत्रकास अनुसरून आपणास कळविण्यात येते की, आपण संस्थेच्या आयुर्वेद महाविद्यालय व संशोधन केंद्र, निगडी प्राधिकरण या महाविद्यालयाच्या रूग्णालयाच्या संकुलामध्ये ETP/STP Plant (Sewage treatment plant) सुरू करणे या कामाचे आवश्यक त्या प्राधिकरण/शासनाच्या सर्व परवानग्या घेऊन साहित्य, मजुरी व सर्व करांसहित रक्कम रुपये १६,३१,१००/- (अक्षरी रक्कम रुपये सोळा लाख एकतीस हजार शंभर फक्त) इतक्या रकमेचे दरपत्रक दि. २४/११/२०१४ नुसार या कार्यालयाकडे सादर केलेले होते.

आपले दरपत्रक तुलनात्मकदृष्ट्या सर्वात कमी दराचे असून आपणासमवेत संस्था कार्यालयात समक्ष झालेल्या चर्चेनुसार, आपण सदरचे काम रक्कम रुपये १५,५०,०००/- (अक्षरी रक्कम रुपये पंधरा लाख पन्नास हजार फक्त) आवश्यक त्या प्राधिकरण/शासनच्या सर्व परवानग्या घेऊन साहित्य, मजुरी व सर्व करांसहित करण्याचे लेखी स्वरूपात मान्य केलेले आहे. तरी सदरचे काम दि. २९/१२/२०१४ रोजीच्या संस्था मान्य टिपणीनुसार मंजूर करण्यात येत असून सदरची कामे जागेवर त्वरित सुरू करण्यात यावे. सदर कामातील स्पेसिफिकेशन खालीलप्रमाणे -

Sr. No.	Description of Item
1.	Supply of mechanical Equipments with stanby system with prefabricated Tank as per scope
2.	Civil Foundation for equipments Collocation Tank 10m3 Collocation Tank 5m3
3.	Design Drawings, Engineering, Erection, Commissioning, operation & maintenance Manual, Operation for One month. MPCB approvals

सदर कामातील अटी व शर्ती खालीलप्रमाणे.

- संस्थेने मंजूर केलेल्या दरपत्रकातील दर हे साहित्य, मजुरी, वाहतूक, जकात कर, व्हॅट कर, एल.बी.टी व इतर सर्व शासकीय करांसहित असून सदर प्लॅटफॉर्म शासनस्तरावर आवश्यक त्या सर्व परवानग्या घेणे या कामांसहित आहेत. तसेच प्राधिकरण/शासनाच्या सर्व आवश्यक त्या परवानग्यांची एक प्रत या कार्यालयाकडे व एक प्रत महाविद्यालयाकडे सादर करण्यात यावी.
- सदरची कामे जागेवर पत्रांकित दिनांकापासून ६० दिवसांच्या आत पूर्ण करणे आपणावर बंधनकारक राहील. तसेच सदर कामे पत्रांकित दिनांकापासून सात दिवसांच्या आत जागेवर सुरू न केल्यास सदर वर्कऑर्डर रद्द समजण्यात यावी व विहित मुदतीत काम पूर्ण न झाल्यास रु.१०००/- प्रती दिवस याप्रमाणे दंडाची रक्कम आपल्या देय असलेल्या बिलातून कपात केली जाईल.


Principal
P.D.E.A'S
College of Ayurvedic Research Centre



३. सदर कामामध्ये भाजलेल्या मातीच्या विटा व नैसर्गिक वाळू वापरण्यात यावी. कृत्रिम वाळूचा (३ सॅण्ड) वापर करण्यात येवू नये. जागेवर कृत्रिम वाळूचा वापर करीत असल्याचे निदर्शनास आल्या संस्था पदाधिकाऱ्यांच्या निर्णयानुसार योग्य ती कारवाई करण्यात येईल.
४. प्रत्यक्षात जागेवर झालेल्या कामाची बांधकाम विभागामार्फत मोजमापे घेतल्यानंतरच आपले बिल अदा करण्यात येईल.
५. आपल्या पहिल्या रनिंग बिलाची रक्कम रुपये ५,००,०००/- (अक्षरी रक्कम रुपये पाच ल फक्त) इतक्या रकमेपेक्षा कमी असू नये व बिल सादर करताना शाखेचा कामाबाबतचा सद्यःस्थि अहवाल बिलासोबत जोडून बिलाच्या तीन प्रती संस्था मुख्य कार्यालयात कार्यालय कामकाजाच्या दिवशी सादर करण्यात यावे.
६. सदरची कामे जागेवर पूर्ण झाल्यानंतर झालेल्या कामाचे बिल शाखेच्या पूर्णत्वाच्या दाखल्यात जोडून तीन प्रतीत संस्था मुख्य कार्यालयात कार्यालयीन कामकाजाच्या दिवशी सादर करण्यात यावे.
७. सदर कामाचा खर्च रक्कम रुपये १५,५०,०००/- (अक्षरी रक्कम रुपये पंधरा लाख पन्नास हज फक्त) इतका ग्राह्य धरण्यात आलेला असून सदर कामांव्यतिरिक्त इतर आवश्यक वाढीव क करण्यापूर्वी संस्था मुख्य कार्यालयाची पूर्वपरवानगी घेण्यात यावी अन्यथा सदर झालेल्या वाढ कामांचे बिल अदा करण्याची जबाबदारी संस्थेवर राहणार नाही तसेच वर्कऑर्डमध्ये नमुद केले व्यतिरिक्त आवश्यक कामांचे दर हे संस्थेचे मान्य दर राहतील याची नोंद घ्यावी.
८. सदरची कामे करताना कुठल्याही प्रकारचा अपघात झाल्यास त्यास संस्था कुठल्याही प्रक जबाबदार राहणार नाही. सदरची कामे करताना मजुरांच्या सुरक्षिततेच्या दृष्टीने सेफ्टी बेल्ट हेल्मेटचा वापर करण्यात यावा. तसेच शासकीय अधिकृत विमा कंपनीकडून मजुरांचा वि उतरविण्यात यावा व त्याची प्रत संस्था कार्यालयात पाठविण्यात यावी.
९. सदरची कामे करताना शाखेचे कोणत्याही प्रकारचे नुकसान झाल्यास आपण स्वखर्चाने नुकस भरपाई करून देण्यात यावी.
१०. आपल्या दरपत्रकातील संस्था कार्यालयाने मंजूर केलेल्या दरांव्यतिरिक्त कुठल्याही प्रकारची दरव (Excalation) आपणांस देण्यात येणार नाही.
११. सदर कामाचे बिल तयार करताना जागेवरील कामाची प्रत्यक्ष मोजमापे घेऊनच बिल सादर करण्या यावे. जागेवर अपूर्ण/अर्धवट कामांची रक्कम बिलामध्ये ग्राह्य धरण्यात येवू नये.
१२. आपण सादर केलेल्या बिलाची संस्थेच्या बांधकाम विभागामार्फत तपासणी झाल्यानंतर बिलाचे अंतिम स्टेटमेंटवर बिलाची मोजमापे व बिलाची रक्कम मान्य असलेबाबत आपली लेखी मान्य मिळाल्यानंतर आपल्या बिलाबाबत पुढील योग्य ती कार्यवाही करण्यात येईल.
१३. सदर कामासाठी आवश्यक असणाऱ्या पाण्याचे बिल आपणास संस्थेकडून मिळणार नाही याची नों घ्यावी.

: ७-१-१९४९

॥ बहुजन हिताय । बहुजन सुखाय ॥



पुणे जिल्हा शिक्षण मंडळ, पुणे

रजिस्टर्ड अंडर सोसायटीज रजिस्ट्रेशन अॅक्ट १८६० व पब्लिक ट्रस्ट अॅक्ट १९५०

नोंदणी क्र. एफ-९९

४८/१ अ, एरंडवणा, पौड रोड, पुणे-४११ ०३८. (महाराष्ट्र) फोन : (०२०)२५४३४५७०, २५४५८३२७, २५४३७३४९

फॅक्स : (०२०)२५४३८७०५ ईमेल : honsecretary@pdeapune.org वेबसाईट : www.pdeapune.org

जावक क्र. : पुजिशिमं/बांधकाम विभाग/इतर/२०१४-१५/२९७-८४

दिनांक ११ FEB 2015

.. ३ ..

अध्यक्ष
अजित पवार

मानद सचिव
संदिप कदम

अध्यक्ष प्रतिनिधी
राजेंद्र घाडगे

खजिनदार
डॉ. मोहनराव देशमुख

उपसचिव
पी. ई. कुलकर्णी

१४. आपल्या मंजूर झालेल्या बिलातून नियमानुसार इनकम टॅक्स कपात करून इनकम टॅक्स चलनाव्दारे बँकेत भरणा करण्यात येईल व त्याची प्रत आपणांस देण्यात येईल तसेच प्रत्यक्ष तपासणीनुसार आपणांस देय असलेल्या एकूण बिलाच्या रकमेवर ५% रिटेन्शन मनी डिपॉझिट कपात करून अंतिम बिल अदा केलेल्या दिनांकापासून संस्थेच्या पुढील आदेशापर्यंत राखून ठेवण्यात येईल व त्याची पावती आपणांस देण्यात येईल.

१५. सदरचे काम सुरू केल्याचे या कार्यालयास लेखी स्वरूपात कळविण्यात यावे तसेच दरपत्रकानुसार बांधकामातील कामे करणे आपणावर बंधनकारक राहतील याची नोंद घ्यावी.

कळावे.

प्रत माहितीसाठी :


मा. प्राचार्या,

आयुर्वेद महाविद्यालय व संशोधन केंद्र, निगडी प्राधिकरण.


मानद सचिव
पुणे जिल्हा शिक्षण मंडळ, पुणे

Principal
P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.







COLLECTION TANK SECTION



TYPICAL MANHOLE OPENING



PLAN



SECTIONAL ELEVATION



NOTES:-

- 1 SAFE BEARING CAPACITY OF SOIL $\pm 10 \text{ T/M}^2$ @ 2.3 M DEPTH FROM N.G.L.
- 2 CONCRETE MIX. SHALL BE M20
- 3 Y : INDICATES H.Y.S. DEFORMED BARS ($F_y 500 \text{D}$) CONFORMING TO IS 1786.
- 4 CLEAR COVER TO MAIN STEEL IN FOOTINGS = 50 MM
IN COLUMNS = 40 MM
RCC WALL BEAM = 30 MM
SLAB = 20 MM
- 5 ALL DIMENSIONS, LEVELS, LOCATIONS SHALL BE CHECKED & CORRELATED WITH ARCHITECTURAL DRAWING.
- 6 N.G.L. STANDS FOR NATURAL GROUND LEVEL.
7. GENERAL ANCHORAGE LENGTH $L_d = 450 \text{ MM}$

Excellent Enviro Pune

CLIENT-

TITLE- STP RCC DRAWING

NO.	SCALE	DATE	REV.
1	N.T.S		
2			
3			
4			
5			
6			
7			
8			
9			
10			



COMPLETION REPORT

आयुर्वेद व जनरल रुग्णालय, निगडी, पुणे ४४
आवक क्र. १६८६/१६.१६ टेबल क्र.

दिनांक - ३०/१०/१८

लेखनिक

कार्यालय अधिसूक्त

अधिसूक्त

To,

Date : 28/10/2015

M/s. Ayurved Rugnalaya & Sterling Multispecialty Hospital,
Sector No.27, Near Bhel Chowk,
Nigdi Pradhikaran, Pune-411044.

Subject :- Sewage /Effluent Treatment Plant Completion Report .


Dear Sir,


- 1) This is inform you that , We Have completed your **Sewage & Effluent Treatment Plant** with Erection & commissioning.
- 2) We have taken trial of all equipments and found ok,
- 3) During the plant trial your representative was present and we have shown the trial.
- 4) we are also arranged one personal for operation of **Sewage Treatment Plant** during this period & trial is satisfactory .


Thanking you & assuring our best service at all time If any problem related to the ETP/STP please feel free to contact us.

Thanking you Your's Truly,

For Excellent Enviro,


(Authority signatory)



कार्यालय निगडी व पारनेल


Head Office
Plot No. D-52/18,
MIDC, Area Waluj,
Aurangabad - 431136.

Sales Office - I
513/2923, Akshay Society,
'Aniruddha', First Floor,
Sant Tukaram Nagar,
Pimpri, Pune - 411018.


Sales Office - II
Building No. B-5, Flat No.5,
Prema Housing Society,
Panvel

Cell No.: 99 7098 9991, 997042 9991

E-mail: info@excellentenviro.com / sales@excellentenviro.com / excellentenviro@gmail.com


Principal
P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411044.






PLAN

SECTIONAL ELEVATION



COLLECTION TANK SECTION




TYPICAL MANHOLE OPENING

NOTES:-

1. SAFE BEARING
2. CONCRETE M
3. S. DEFORMED BARS (F_y 500D) CONFORMING TO IS 1786.
4. CLEAR COVER
5. ALL DIMENSIO
6. WITH ARCHITE
7. GENERAL ANCHO

CLIENT	Excellent Enviro Pune
TITLE	STP RCC DRAWING
DATE	10/10/2021
DWG NO	001
REV	0

Principal
P.D.E.A'S
College of Ayurved And Research Centre
Nigdi, Pune - 411 044.



Colloge of Ayurved & Research Centre - UG

Payment Voucher

No. : 566

Dated : 15-Feb-2023

Through : IDBI - 0087104000307925

Particulars	Amount
Account : Building Construction	4,00,000.00
Less : TDS	(-4,000.00)

[Signature]
Internal Auditor
Pune District Education Association
Pune - 38.

Date - 21-02-2023

On Account of :

BEING AMOUNT PAID FOR CONSTRUCTION OF VARMICULTURE TANK, FABRICATED SHED, PLATFORM FOR FLAG HOSTING, ETC. RUNNING BILL PART PAYMENT PAID

Bank Transaction Details:

Cheque 492025 15-Feb-2023 3,96,000.00

Amount (in words) :

INR Three Lakh Ninety Six Thousand Only

₹ 3,96,000.00

Receiver's Signature:

[Signature]
Prepared by

[Signature]
Checked by

[Signature]
Principal
Authorised Signatory
College of Ayurved And Research Centre
Akurdi, Pune - 411 044

Verified by





पुणे जिल्हा शिक्षण मंडळ, पुणे
४८/ १ अ, एरंडवणा, पौड रोड, पुणे - ४११ ०३८

Email :- honsecretary@pdeapune.org Web :- www.pdeapune.org

जा.क्र.पुजिशिमं/बांधकाम विभाग - / २०२२-२३/ 219-13

दिनांक:- 15 FEB 2023

प्रति,
मा. प्राचार्य,
आयुर्वेद महाविद्यालय व संशोधन केंद्र,
प्राधिकरण, निगडी

विषय:- आपल्या महाविद्यालयाच्या संकुलामध्ये वर्मिकल्चर टाकी बांधणे व लोखंडी फॅब्रिकेटेड शेड करणे, ध्वजारोहणाकरीता प्लॅटफॉर्म बांधणे, महाविद्यालयाच्या इमारतीचे बाहेरील बाजूचे पेंटिंग करणे, मुलींच्या वसतिगृहाच्या इमारतीचे आतील व बाहेरील बाजूचे पेंटिंग करणे, मुख्य प्रवेशव्दारास विकलांग विद्यार्थ्यांकरिता रॅम्प करणे इ. सिव्हील कामांच्या पहिल्या रनिंग बिलापोटी पार्ट पेमेंट अदा करणेबाबत...

संदर्भ :- संस्था टिपणी दिनांक-१४/०२/२०२३..

उपरोक्त विषयास व संदर्भीय टिपणीस अनुसरून आपणांस कळविण्यात येते की, आपल्या महाविद्यालयाच्या संकुलामध्ये वर्मिकल्चर टाकी बांधणे व लोखंडी फॅब्रिकेटेड शेड करणे, ध्वजारोहणाकरीता प्लॅटफॉर्म बांधणे, महाविद्यालयाच्या इमारतीचे बाहेरील बाजूचे पेंटिंग करणे, मुलींच्या वसतिगृहाच्या इमारतीचे आतील व बाहेरील बाजूचे पेंटिंग करणे, मुख्य प्रवेशव्दारास विकलांग विद्यार्थ्यांकरिता रॅम्प करणे इ. विविध सिव्हील कामे कॉन्ट्रॅक्टर सवाई सर्जा कन्स्ट्रक्शन, पुणे यांचेमार्फत दिनांक ०७/१२/२०२२ रोजीच्या संस्था वर्कऑर्डनुसार जागेवर चालू आहेत. कॉन्ट्रॅक्टर यांना सदर कामाच्या पहिल्या रनिंग बिलाच्या पार्ट पेमेंटपोटी संस्था मान्य टिपणी दिनांक १४/०२/२०२३ रोजी नुसार रक्कम रु.४,००,०००/- (अक्षरी रक्कम रुपये चार लाख फक्त) इतकी देय आहे.

तरी आपल्या शाखेच्या बँकेच्या खात्यातून कॉन्ट्रॅक्टर सवाई सर्जा कन्स्ट्रक्शन, पुणे यांना सदर कामाच्या पहिल्या रनिंग बिलाच्या पार्ट पेमेंटपोटी १% टी.डी.एस. वजा जाता रक्कम रु.३,९६,०००/- (अक्षरी रक्कम रुपये तीन लाख शहाण्वण हजार फक्त) क्रॉस चेकने अदा करण्यात यावेत व त्यांचे बिलातून कपात केलेला टी.डी.एस.रक्कम रु.४,०००/- (अक्षरी रक्कम रुपये चार हजार फक्त) त्यांचे नावाने टी.डी.एस. चलनाद्वारे बँकेत भरणा करण्यात यावा. टी.डी.एस.भरणा चलनाची एक प्रत कॉन्ट्रॅक्टर यांना देण्यात यावी व सदर चलनाची एक प्रत तसेच अदा केलेल्या व्हाऊचरची एक प्रत या कार्यालयाच्या माहितीसाठी पाठविण्यात यावी. तसेच कॉन्ट्रॅक्टर यांचा धनादेश पत्रांकित दिनांकापासून तीन दिवसांच्या आत अदा करण्याची व्यवस्था करावी. त्यानुसार कार्यवाही करावी.

कळावे,



मानद सचिव,
पुणे जिल्हा शिक्षण मंडळ, पुणे

6 PDEA/VW/PAYMENT LETTER/2021-22



दि-15/2/2022

संस्था परवानगीने महाविद्यालयामध्ये संकुलामध्ये वसिळ्या
यकी जांघणे ; व लोखंडी फॅब्रिकेटेड होड करणे, हवामान
- जाळरीता लॅटफॉर्म जांघणे, मुलींच्या वसतिगृहाच्या
बमारीचे आलीक व कोहेरील बाजूचे वेटींग
करणे, मुख्य प्रवेशदारास विकलांग विद्यार्थ्या
- करीता रॅम्प करणे इ. सिव्हिल कामांच्या
पहिल्या वेमिंग बिलाची नोंद महाविद्यालयीन
इंजिअर विभागातील बिल वनि पान.कृ. 38, अड्ड
कृ-432 मध्ये नोंद ठेवली आहे

नोंद करणार



(डॉ. विकस बळराव)
मुख्य अधिकारी



Principal
College of Ayurved And Research Centre
Akurdi, Pune - 411 044

Sawai Sarja Construction

Ganesh Dutta Soc. Sahakarnagar - 1 Pune - 411009.

G.S.T IN :- 27AAOPY1102D1ZU

SAWAI SARJA CONSTRUCTION 21A/B, Ganesh Datta Soc. Sahakarnagar-1, Pune -411009 GST NO: 27AAOPY1102D1ZU PAN NO: AAOPY1102D		TAX INVOICE			
		Invoice No: 039		Invoice Date: 15-02-2023	
		Pdea Work Order NO: 22 23/166 18		W.O Date: 02 12-2022	
Name & Address of Owner Pune District Education Association, Pune 48/1, Erandwane, Poud Road, Pune-411038		Name & Address of College/School PDEA,S - Ayurved College & Research Centre, Nigadi			
State Name : MAHARASHTRA		Various Civil Works & Painting Work			
State Code : 27					
GST NO : 27AAATP1234H1ZS					
PAN NO : AAATP1234H					
Sr.No	Description	Qty	Units	Unit Rate	Amount
1	Various Civil & Painting Work	1.00	Job	3,38,983.05	3,38,983.05
Central GST In words : Thirty Thousand Five Hundred Eight Rupees and Paise Fourty Seven Only.				Assessable Value	3,38,983.05
State GST in words : Thirty Thousand Five Hundred Eight Rupees and Paise Fourty Seven Only.				Discount (-) 2%	
Total GST In words : Sixty One Thousand Sixteen Rupees and Paise Ninety Five Only.				Net Amount	3,38,983.05
Amount in words(including GST) : Four Lac Rupees Only.				Central GST 9%	30,508.47
Balance Amount of Word : Four Lac Rupees Only.				State GST 9%	30,508.47
Declaration : We declare That this invoice shows the actual Price of the goods describe and that on particular are true & correct.				Grand Total including GST	4,00,000.00
: Terms And Conditions : 1 All Disputes subjects to Pune Jurisdiction				Payment Received	
				Balance Amount	4,00,000.00
				Pre- Authentication	For Sawai Sarja Construction

Sawai Sarja Construction

Syenpur

Proprietor

Sawai Sarja Construction

Ganesh Dutta Soc. Sahakarnagar - 1 Pune - 411009

G.S.T IN :- 27AAOPY1102D1ZU

प्रति
मा. मानद सचिव
पुणे जिल्हा शिक्षण मंडळ,
पुणे

दिनांक: ०८/०२/२०२३

विषय: संस्थेच्या आयुर्वेद कॉलेज आणि रिसर्च सेंटर येथील महाविद्यालयाच्या संकुलामध्ये
वर्गिकत्वर टाकी बांधणे व तोखंडी फॅब्रिकेरेटड झेड करणे, ध्वजारोहणा करिता
कॅटपॉल्ट करणे आणि महाविद्यालयामध्ये पेंटिंग करणे इ. कामाच्या मुंडव्हानस वितावावट

संदर्भ: १. संस्था मान्य ठिपणी दि. ०२/१२/२०२२ (२२-२३/१६६-१८)

महोदय,

उपरोक्त विषयान्वये, आम्ही संस्थेच्या आयुर्वेद कॉलेज आणि रिसर्च सेंटर मध्ये, येथील
संकुलामध्ये वर्गिकत्वर टाकी बांधणे व तोखंडी फॅब्रिकेरेटड झेड करणे, ध्वजारोहणा करिता
कॅटपॉल्ट करणे आणि महाविद्यालयामध्ये इमारतीचे बाहेरील बाजूस पेंटिंग करणे, तसेच इतर
सिव्हील कामे करीत असून, सदरील कामे हे संस्था प्रस्टीमेट नुसार ८०% जागेवर पूर्ण आले असून
तरी आपल्या संस्थेच्या वर्क ऑर्डर नुसार आलेल्या कामाची एकूण रक्कम रु. ६,९९,९०३/- एवढी
आली असून आम्हांस त्यावदल्यात मुंडव्हानस मिळावा, हि आपणांस नम्र विनंती.

Sawai Sarja Construction

Proprietor



पुणे जिल्हा शिक्षण मंडळाचे,

आयुर्वेद महाविद्यालय व संशोधन केंद्र

(आयु.ही.ने.पी.यु./पी.एन./आयु./०८१/१९९०)

सेक्टर नं. २५, प्राधिकरण, निगडी, पुणे-४५१ ०४४. (महाराष्ट्र) भारत.

फोन : (०२०) - २७६५९५७८, २७६५३९६५ (फॅक्स) : (०२०) २७६५९५७८. वेबसाईट :- www.pdeaayurvedcollege.edu.in
इ-मेल :- carc2006@rediffmail.com / carcakurdi@gmail.com आऊटलुक मेल :- acrc_akurdi@pdeapune.org

इ संस्था पदाधिकारी छ

अध्यक्ष-अजित पवार, उपाध्यक्ष-राजेंद्र घाडगे, मानद सचिव-संदीप कदम, खजिनदार-अॅड. मोहनराव देशमुख,
उपसचिव-एल.एम.पवार, प्राचार्या-डॉ.आर.आर.पाटील

जा.क्र. :- 2451/2022-23

दिनांक :- 09 FEB 2022

प्रति,
मा.मानद सचिव
पुणे जिल्हा शिक्षण मंडळ,
पुणे -४११०३८.

विषय :- महाविद्यालय व संलग्नित मुलींच्या वसतिगृहामधील सद्यस्थितीस पूर्ण झालेल्या सिव्हील व
रंगकामसंबंधी कामकाजाचा अहवाल.

संदर्भ :- पुजिशिमं/बांधकाम विभाग /२०२२-२३/१६६-१८, दि.०७.१२.२०२२.

मा.महोदय,

उपरोक्त विषय व संदर्भीय पत्रास अनुसरून, संस्थेच्या पूर्वपरवानगीने महाविद्यालय व संलग्नित
मुलींच्या वसतिगृहामध्ये सद्यस्थितीस एकूण कामकाजापैकी सिव्हील व रंगकामसंबंधीची खालीलप्रमाणे कामे
आज दि. ०९.०२.२०२३ अखेर पूर्ण झालेली आहेत.

कामाचा तपशील-

१. बर्मिकल्चर टाकी बांधणे व त्यावर लोखंडी शेड करणे
२. ध्वजारोहणाकरीता प्लॅटफॉर्म बांधणे
३. महाविद्यालयाच्या मुलींच्या वसतिगृहाच्या इमारतीचे बाहेरील बाजुस पेंटिंग केले.
४. महाविद्यालयाच्या मुलींच्या वसतिगृहाच्या आतील बाजुचे २० रुम्सचे पेंटिंग केले.

आपल्या माहितीस्तव सविनय सादर !



आपली विश्वासू,

(डॉ.सौ.आर.आर. पाटील)

प्राचार्या
पु.जि.शि.मं.चे

आयुर्वेद महाविद्यालय व संशोधन केंद्र,
निगडी, पुणे - ४११ ०४४



पुणे जिल्हा शिक्षण मंडळ, पुणे
४८/ १ अ, एंडवणा, पौड रोड, पुणे - ४११ ०३८

Email :- honsecretary@pdeapune.org Web :- www.pdeapune.org

जा.क्र.पुजिशिमं/बांधकाम विभाग - / २०२२-२३/ २१९-१३

दिनांक:- 15 FEB 2023

प्रति,
मा. प्राचार्य,
आयुर्वेद महाविद्यालय व संशोधन केंद्र,
प्राधिकरण, निगडी

विषय:- आपल्या महाविद्यालयाच्या संकुलामध्ये वर्मिकल्चर टाकी बांधणे व लोखंडी फॅब्रिकेटेड शेड करणे, ध्वजारोहणाकरीता प्लॅटफॉर्म बांधणे, महाविद्यालयाच्या इमारतीचे बाहेरील बाजूचे पेंटिंग करणे, मुलींच्या वसतिगृहाच्या इमारतीचे आतील व बाहेरील बाजूचे पेंटिंग करणे, मुख्य प्रवेशद्वारास विकलांग विद्यार्थ्याकरीता रॅम्प करणे इ. सिव्हील कामांच्या पहिल्या रनिंग बिलापोटी पार्ट पेमेंट अदा करणेबाबत...

संदर्भ :- संस्था टिपणी दिनांक-१४/०२/२०२३..

उपरोक्त विषयास व संदर्भीय टिपणीस अनुसरून आपणांस कळविण्यात येते की, आपल्या महाविद्यालयाच्या संकुलामध्ये वर्मिकल्चर टाकी बांधणे व लोखंडी फॅब्रिकेटेड शेड करणे, ध्वजारोहणाकरीता प्लॅटफॉर्म बांधणे, महाविद्यालयाच्या इमारतीचे बाहेरील बाजूचे पेंटिंग करणे, मुलींच्या वसतिगृहाच्या इमारतीचे आतील व बाहेरील बाजूचे पेंटिंग करणे, मुख्य प्रवेशद्वारास विकलांग विद्यार्थ्याकरीता रॅम्प करणे इ. विविध सिव्हील कामे कॉन्ट्रॅक्टर सवाई सर्ज कन्स्ट्रक्शन, पुणे यांचेमार्फत दिनांक ०७/१२/२०२२ रोजीच्या संस्था वर्कऑर्डनुसार जागेवर चालू आहेत. कॉन्ट्रॅक्टर यांना सदर कामाच्या पहिल्या रनिंग बिलाच्या पार्ट पेमेंटपोटी संस्था मान्य टिपणी दिनांक १४/०२/२०२३ रोजी नुसार रक्कम रु.४,००,०००/- (अक्षरी रक्कम रुपये चार लाख फक्त) इतकी देय आहे.

तरी आपल्या शाखेच्या बँकेच्या खात्यातून कॉन्ट्रॅक्टर सवाई सर्ज कन्स्ट्रक्शन, पुणे यांना सदर कामाच्या पहिल्या रनिंग बिलाच्या पार्ट पेमेंटपोटी १% टी.डी.एस. वजा जाता रक्कम रु.३,९६,०००/- (अक्षरी रक्कम रुपये तीन लाख शहाण्णव हजार फक्त) क्रॉस चेकने अदा करण्यात यावेत व त्यांचे बिलातून कपात केलेला टी.डी.एस.रक्कम रु.४,०००/- (अक्षरी रक्कम रुपये चार हजार फक्त) त्यांचे नावाने टी.डी.एस. चलनाद्वारे बँकेत भरणा करण्यात यावा. टी.डी.एस.भरणा चलनाची एक प्रत कॉन्ट्रॅक्टर यांना देण्यात यावी व सदर चलनाची एक प्रत तसेच अदा केलेल्या व्हाऊचरची एक प्रत या कार्यालयाच्या माहितीसाठी पाठविण्यात यावी. तसेच कॉन्ट्रॅक्टर यांचा धनादेश पत्रांकित दिनांकापासून तीन दिवसांच्या आत अदा करण्याची व्यवस्था करावी. त्यानुसार कार्यवाही करावी.

कळावे,

मानद सचिव,

पुणे जिल्हा शिक्षण मंडळ, पुणे

6 PDEA/VW/PAYMENT LETTER/2021-22

आयुर्वेद महाविद्यालय व संशोधन केंद्र
वसतिगृह बांधकाम विभाग
संस्था क्र. 4798/222-23
दिनांक - 15/2/23
लेखनिक - [Signature]

